

ROD ENDS

General Purpose-Economy MALE				Static Load
RH	LH	Thread	Bore	Capacity Lbs
CM-3	CB-3	3/16"	3/16"	1,204
CM-4	CB-4	1/4"	1/4"	2,212
CM-5	CB-5	5/16"	5/16"	3,577
CM-6	CB-6	3/8"	3/8"	5,068
CM-7	CB-7	7/16"	7/16"	6,345
CM-8	CB-8	1/2"	1/2"	8,338
CM-10	CB-10	5/8"	5/8"	9,713
CM-12	CM-12	3/4"	3/4"	14,207

General Purpose-Economy FEMALE				Static Load
RH	LH	Thread	Bore	Capacity Lbs
CW-3	CG-3	3/16"	3/16"	2,079
CW-4	CG-4	1/4"	1/4"	3,208
CW-5	CG-5	5/16"	5/16"	3,824
CW-6	CG-6	3/8"	3/8"	5,087
CW-7	CG-7	7/16"	7/16"	6,385
CW-8	CG-8	1/2"	1/2"	9,096
CW-10	CG-10	5/8"	5/8"	9,713
CW-12	CG-12	3/4"	3/4"	14,207

General Purpose	Metric	MALE		Static Load
RH	LH	Thread	Bore	Capacity Lbs
CM-M6	CB-M6	M6 x 1.0	M6	7,296
CM-M8	CB-M8	M8x1.25	M8	13,591
CM-M10	CB-M10	M10x1.5	M10	21,024

General Purpose	Metric	FEMALE		Static Load
RH	LH	Thread	Bore	Capacity Lbs
CW-M6	CG-M6	M6 x 1.0	M6	11,895
CW-M8	CG-M8	M8x1.25	M8	15,190
CW-M10	CG-M10	M10x1.5	M10	22,750

General Purpose Precision	MALE		Static Load	
RH	LH	Thread	Bore	Capacity Lbs
MM-2	MB-2	1/8"	1/8"	502
MM-3	MB-3	3/16"	3/16"	1,169
MM-4	MB-4	1/4"	1/4"	2,158
MM-5	MB-5	5/16"	5/16"	2,784
MM-6	MB-6	3/8"	3/8"	3,915

General Purpose Precision	FEMALE		Static Load	
RH	LH	Thread	Bore	Capacity Lbs
MW-2	MG-2	1/8"	1/8"	1,202
MW-3	MG-3	3/16"	3/16"	1,531
MW-4	MG-4	1/4"	1/4"	2,539
MW-5	MG-5	5/16"	5/16"	3,133
MW-6	MG-6	3/8"	3/8"	3,915
MW-16		1 1/4"	1"	40,889

General Purpose Tef. Liner	MALE		Static Load	
RH	LH	Thread	Bore	Capacity Lbs
MM-3T	MB-3T	3/16"	3/16"	1,169
MM-4T	MB-4T	1/4"	1/4"	2,158
MM-5T	MB-5T	5/16"	5/16"	2,784
MM-6T	MB-6T	3/8"	3/8"	3,915
MM-7T	MB-7T	7/16"	7/16"	4,218
MM-8T	MB-8T	1/2"	1/2"	6,660
MM-10T	MB-10T	5/8"	5/8"	7,364
MM-12T	MB-12T	3/4"	3/4"	11,518

General Purpose Tef. Liner	FEMALE		Static Load	
RH	LH	Thread	Bore	Capacity Lbs
MW-3T	MG-3T	3/16"	3/16"	1,202
MW-4T	MG-4T	1/4"	1/4"	2,539
MW-5T	MG-5T	5/16"	5/16"	3,133
MW-6T	MG-6T	3/8"	3/8"	3,915

**CM and MM Series are General Purpose Carbon Steel Body
T designates PTFE Liner**

General	METRIC	Tef. Liner	MALE		Static Load
RH	LH	Thread	Bore	Capacity Lbs	
MM-M6T	MB-M6T	M6 x 1.0	M6	7,296	
MM-M8T	MB-M8T	M8 x 1.25	M8	13,591	
MM-M10T	MB-M10T	M10 x 1.5	M10	20,603	

General	METRIC	Tef. Liner	FEMALE		Static Load
RH	LH	Thread	Bore	Capacity Lbs	
MW-M6T	MG-M6T	M6 x 1.0	M6	10,573	
MW-M8T	MG-M8T	M8 x 1.25	M8	14,072	
MW-M10T	MG-M10T	M10 x 1.5	M10	20,603	

ROD ENDS

Precision	High	Strength	MALE	Static Load
RH	LH	Thread	Bore	Capacity Lbs
KM-20-1		1 1/4"	1 1/4"	44,500

Any part number with A is Moly Steel Body
Any part number with X is Stepped Size
Any part number with T is Teflon lined

Alloy Steel				
General	METRIC	Race	MALE	Static Load
RH	LH	Thread	Bore	Capacity Lbs
KM-M5	KB-M5	M5 x 0.8	M5	5,168
KM-M8	KB-M8	M8x1.25	M8	13,591

Alloy Steel				
General	METRIC	Race	FEMALE	Static Load
RH	LH	Thread	Bore	Capacity Lbs
KW-M5	KG-M5	M5 x 0.8	M5	7,090
KW-M8	KG-M8	M8x1.25	M8	14,072

Moly				
High	Strength	Economy	MALE	Static Load
RH	LH	Thread	Bore	Capacity Lbs
CAM-6	CAB-6	3/8"	3/8"	9,088
CAM-8	CAB-8	1/2"	1/2"	15,479
CAM-10	CAB-10	5/8"	5/8"	17,470
CAM-12	CAB-12	3/4"	3/4"	24,471

General	Purpose	Economy	MALE	Static Load
RH	LH	Thread	Bore	Capacity Lbs
XCM-8	XCB-8	5/8"	1/2"	

Moly				
High	Strength	Tef Liner	MALE	Static Load
RH	LH	Thread	Bore	Capacity Lbs
VCAM-6	VCAB-6	3/8"	3/8"	6,533
VCAM-8	VCAB-8	1/2"	1/2"	13,425
VCAM-10	VCAB-10	5/8"	5/8"	14,755
VCAM-12	VCAB-12	3/4"	3/4"	21,150



High	Strength	Moly	MALE	Static Load
RH	LH	Thread	Bore	Capacity Lbs
AM-6	AB-6	3/8"	3/8"	9,544
AM-7	AB-7	7/16"	7/16"	10,285
AM-8	AB-8	1/2"	1/2"	16,238
AM-10	AB-10	5/8"	5/8"	17,955
AM-12	AB-12	3/4"	3/4"	28,081

High	Strength	Tef.Liner	MALE	Static Load
RH	LH	Thread	Bore	Capacity Lbs
AM-4T	AB-4T	1/4"	1/4"	5,260
AM-5T	AB-5T	5/16"	5/16"	7,639
AM-7T	AB-7T	7/16"	7/16"	10,285
AM-6T	AB-6T	3/8"	3/8"	9,544
AM-8T	AB-8T	1/2"	1/2"	16,238
AM-10T	AB-10T	5/8"	5/8"	17,955
AM-12T	AB-12T	3/4"	3/4"	28,081
AM-14T		7/8"	7/8"	45,051
AM-14T-8		1"	7/8"	
AM-16T		1 1/4"	1"	76,200

High	Strength	Tef.Liner	FEMALE	Static Load
RH	LH	Thread	Bore	Capacity Lbs
AW-5T	AG-5T	5/16"	5/16"	7,639
AW-7T	AG-7T	7/16"	7/16"	10,285
AW-6T	AG-6T	3/8"	3/8"	9,544
AW-8T	AG-8T	1/2"	1/2"	16,238
AW-10T	AW-10T	5/8"	5/8"	17,955

ROD ENDS

SPECIAL RACE PARTS

High	Strength	Tef.Liner	Male
RH	LH	Thread	Bore
AM-6T-6	AB-6T-6	1/2"	3/8"

Moly

High	Strength	METRIC	MALE	Static Load Capacity Lbs
RH	LH	Thread	Bore	
AM-M6T	AB-M6T	M6 x 1.0	M6	17,720
AM-M8T	AB-M8T	M8 x 1.25	M8	33,135
AMF-M8T	ABF-M8T	M8 x 1.0	M8	33,135
AM-M10T	AB-M10T	M10 x 1.5	M10	50,227
AMF-M10T	ABF-M10T	M10 x 1.25	M10	50,227
AM-M12T	ABF-M12T	M12 x 1.75	M12	44,490
AMF-M12T	ABF-M12T	M12 x 1.25	M12	44,490
AM-M14T	AB-M14T	M14 x 2.0	M14	71,741
AMF-M14T	ABF-M14T	M14 x 1.5	M14	71,741
AM-M16T	AB-M16T	M16 x 2.0	M16	76,291
AMF-M16T	ABF-M16T	M16 x 1.5	M16	76,291

Moly

High	Strength	METRIC	FEMALE	Static Load Capacity Lbs
RH	LH	Thread	Bore	
AW-M6T	AG-M6T	M6 x 1.0	M6	25,781
AW-M8T	AG-M8T	M8 x 1.25	M8	33,203
AWF-M8T	AGF-M8T	M8 x 1.0	M8	33,203
AW-M10T	AG-M10T	M10 x 1.5	M10	50,227
AWF-M10T	AGF-M10T	M10 x 1.25	M10	50,227
AW-M12T	AG-M12T	M12 x 1.75	M12	44,490
AWF-M12T	AGF-M12T	M12 x 1.25	M12	44,490
AW-M14T	AG-M14T	M14 x 2.0	M14	71,741
AWF-M14T	AGF-M14T	M14 x 1.5	M14	71,741
AW-M16T	AG-M16T	M16 x 2.0	M16	76,741
AWF-M16T	AGF-M16T	M16 x 1.5	M16	76,741

Extra	Strength	Stepped Size	MALE	Static Load Capacity Lbs
RH	LH	Thread	Bore	
XM-3		1/4"	3/16"	2,158
XM-4		5/16"	1/4"	3,467
XM-8	XB-8	5/8"	1/2"	12,807
		Tef,Liner		
XM-6T	XB-6T	7/16"	3/8"	7,180
XM-8T	XB-8T	5/8"	1/2"	12,807
XM-10T	XB-10T	3/4"	5/8"	16,565



High	Strength	Moly	MALE	Static Load Capacity Lbs
RH	LH	Thread	Bore	
XAM-3T	XAB-3T	1/4"	3/16"	5,260
XAM-4T	XAB-4T	5/16"	1/4"	8,452
XAM-5T	XAB-5T	3/8"	5/16"	12,978
XAM-6T	XAB-6T	7/16"	3/8"	17,508
XAM-7T	XAB-7T	1/2"	7/16"	23,452
XAM-8T	XAB-8T	5/8"	1/2"	31,390
XAM-10T	XAB-10T	3/4"	5/8"	40,572
XAM-12T	XAB-12T	7/8"	3/4"	55,692

High	4340 Steel	Tef Liner	MALE	Static Load Capacity
Angle				
RH	LH	Thread	Bore	
HXAM-4T	HXAB-4T	3/8"	1/4"	10,789
HXAM-5T	HXAB-5T	7/16"	5/16"	11,781
HXAM-6T	HXAB-6T	7/16"	3/8"	11,781
HXAM-7T	HXAB-7T	1/2"	7/16"	17,106
HXAM-8T	HXAB-8T	5/8"	1/2"	23,720
HXAM-10T	HXAB-10T	3/4"	5/8"	32,067
HXAM-12T	HXAB-12T	7/8"	3/4"	38,660

SPECIAL	RACE	PARTS	DRAG	RACING
XAM-8T-2	XAB-8T-2	3/4"	1/2"	

SPECIAL	RACE	PARTS		
HXAM-6T-4		3/8"	3/8"	

PERFORMANCE RACING SERIES				Static Load Capacity
RH	LH	Thread	Bore	
PRM-5T	PRB-5T	5/16"	5/16"	8,330
PRM-6T	PRB-6T	3/8"	3/8"	10,946
PRM-7T	PRB-7T	7/16"	7/16"	14,049
PRM-8T	PRB-8T	1/2"	1/2"	23,310
PRM-10T	PRB-10T	5/8"	5/8"	25,909

PERFORMANCE RACING SERIES				Static Load Capacity
RH	LH	Thread	Bore	
PRXM-5T	PRXB-5T	5/16"	1/4"	9,135
PRXM-6T	PRXB-6T	3/8"	5/16"	10,946
PRXM-7T	PRXB-7T	7/16"	3/8"	14,049
PRXM-8T	PRXB-8T	5/8"	1/2"	23,310
PRXM-10T	PRXB-10T	3/4"	5/8"	25,909

AURORA SPHERICAL BEARINGS



COM –Standard Series
 COMT-Teflon Lined
 HAB-High Misalignment
 PNB-Performance Race Series, Narrow
 PWB-Performance Race Series, Wide

COM SERIES

	Bore	O/D	Height	Width
COM-4	1/4"	0.5625	0.250	0.343
COM-5	5/16"	0.7500	0.281	0.375
COM-6	3/8"	0.8125	0.312	0.406
COM-7	7/16"	0.9062	0.343	0.437
COM-8	1/2"	1.0000	0.390	0.500
COM-9	9/16"	1.0937	0.437	0.562
COM-10	5/8"	1.1875	0.500	0.625
COM-12	3/4"	1.4375	0.593	0.750
COM-14	7/8"	1.5625	0.703	0.875
COM-16	1"	1.7500	0.797	1.000

COM-T SERIES

	Bore	O/D	Height	Width
COM-4T	1/4"	0.5625	0.250	0.343
COM-5T	5/16"	0.7500	0.281	0.375
COM-6T	3/8"	0.8125	0.312	0.406
COM-7T	7/16"	0.9062	0.343	0.437
COM-8T	1/2"	1.0000	0.390	0.500
COM-9T	9/16"	1.0937	0.437	0.562
COM-10T	5/8"	1.1875	0.500	0.625
COM-12T	3/4"	1.4375	0.593	0.750
COM-14T	7/8"	1.5625	0.703	0.875
COM-16T	1"	1.7500	0.797	1.000

Teflon Lined

COM-4KH Alloy Steel Heat Treated Race

COM-8T	1/2"	1.3125	0.531	0.687
LCOM-10T	5/8"	1.5625	0.687	0.875

COM SERIES METRIC

	Bore	O/D	Height	Width
COM-M6	6mm	18mm	6.75	9mm
COM-M8	8mm	22mm	9.00	12mm
COM-M10	10mm	26mm	10.50	14mm
COM-M12	12mm	30mm	12.00	16mm
COM-M14	14mm	34mm	13.50	19mm

COM SERIES METRIC TEFLON LINED

	Bore	O/D	Height	Width
COM-M6T	6mm	18mm	6.75	9mm
COM-M8T	8mm	22mm	9.00	12mm
COM-M10T	10mm	26mm	10.50	14mm
COM-M12T	12mm	30mm	12.00	16mm
COM-M14T	14mm	34mm	13.50	19mm

RACE SERIES COM SPHERICALS

	Bore	O/D	Height	
COM-8T-18	1/2"	1.1875	0.400	
COM-8T-20	1/2"	0.875	0.375	Heat Treated Race
COM-8T-24	1/2"	1.023	0.625	Bilstien Shocks
COM-8T-33	1/2"	0.9375	0.313	HT Race, PTFE Lined
COM-8T-45	1/2"	1.0000	0.390	Drag Shocks
COM-10T-18	5/8"	1.3750	0.630	
COM-12T-39	19mm	36.5mm	15mm	
LCOM-8T	1/2"	1.3125	0.531	LS8, RS8
LCOM-10T	5/8"	1.5625	0.687	LS10, RS10

MIB-3	0.1900	0.5321	0.250
MIB-10T	5/8"	1.3125	0.562
MIB-16T	1.0"	2.1250	1.000

AIB-4T	1/4"	0.6094	0.281	Alloy Heat Treated Race
AIB-5T	5/16"	0.750	0.344	Alloy Heat Treated Race

SPHERICAL BEARINGS

ANC AEROSPACE NARROW SERIES

	Bore	O/D	Height	Width	
ANC-4TG	1/4"	0.6562	0.250	0.343	Grooved
ANC-4T	1/4"	0.6562	0.250	0.343	
ANC-12T	3/4"	1.4375	0.593	0.750	

HIGH MISALIGNMENT SERIES

	Bore	O/D	Height	Width
HAB-4T	1/4"	0.74	0.255	0.593
HAB-5T	5/16"	0.9060	0.345	0.803
HAB-6T	3/8"	0.9060	0.345	0.813
HAB-7T	7/16"	1.0000	0.345	0.813
HAB-8T	1/2"	1.1250	0.401	0.937
HAB-10T	5/8"	1.3750	0.567	1.200
HAB-12T	3/4"	1.5625	0.620	1.280

PERFORMANCE RACING SERIES

NARROW

	Bore	O/D	Height	Width
PNB-4T	1/4"	0.6252	0.250	0.343
PNB-5T	5/15"	0.7500	0.281	0.375
PNB-6T	3/8"	0.8125	0.312	0.406
PNB-7T	7/16"	0.9062	0.343	0.437
PNB-8T	1/2"	1.0000	0.390	0.500
PNB-9T	9/16"	1.0937	0.437	0.562
PNB-10T	5/8"	1.1875	0.500	0.625
PNB-12T	3/4"	1.4375	0.593	0.750

PERFORMANCE RACING SERIES

WIDE

	Bore	O/D	Height	Width
PWB-4T	1/4"	0.6250	0.327	0.437
PWB-5T	5/16"	0.6875	0.317	0.437
PWB-6T	3/8"	0.8125	0.406	0.500
PWB-7T	7/16"	0.9375	0.442	0.562
PWB-8T	1/2"	1.0000	0.505	0.625
PWB-9T	9/16"	1.1250	0.536	0.687
PWB-10T	5/8"	1.1875	0.567	0.750
PWB-12T	3/4"	1.3750	0.630	0.875

GROOVED NARROW SERIES

PNB-5TG	5/16"	0.7500	0.281	0.375
PNB-8TG	1/2"	1.0000	0.390	0.500

GROOVED WIDE SERIES

PWB-4TG	1/4"	0.6250	0.327	0.437
PWB-5TG	5/16"	0.6875	0.317	0.437
PWB-6TG	3/8"	0.8125	0.406	0.500
PWB-7TG	7/16"	0.9375	0.442	0.562
PWB-8TG	1/2"	1.0000	0.505	0.625
PWB-10TG	5/8"	1.1875	0.567	0.750

SPECIAL RACE PARTS-Formula Ford

	Bore	O/D	Height
PWB-8T-3	1/2"	1.1250	0.500



JAM NUTS AND TUBE ENDS

JAM NUTS UNF THREAD

Thread	RH	LH
3/16"	JNR-0332	JNL-0332
1/4"	JNR-0428	JNL-0428
5/16"	JNR-0524	JNL-0524
3/8"	JNR-0624	JNL-0624
7/16"	JNR-0720	JNL-0720
1/2"	JNR-0820	JNL-0820
5/8"	JNR-1018	JNL-1018
3/4"	JNR-1216	JNL-1216
7/8"	JNR-1414	JNL-1414
1"	JNR-1612	JNL-1612

JAM NUTS METRIC THREAD

Thread	RH	LH
M5 x 0.8	JNR-M5	JNL-M5
M6 x 1.0	JNR-M6	JNL-M6
M8 x 1.0	JNRF-M8	JNLF-M8
M8 x 1.25	JNR-M8	JNL-M8
M10 x 1.25	JNRF-M10	JNLF-M10
M10 x 1.5	JNR-M10	JNL-M10
M12 x 1.25	JNRF-M12	JNLF-M12
M12 x 1.75	JNR-M12	JNL-M12
M14 x 1.5	JNRF-M14	JNLF-M14
M14 x 2.0	JNR-M14	JNL-M14

JAM NUTS ALUMINIUM UNF THREAD

Thread	RH	LH
5/16"	AJNR-05	AJNL-05
3/8"	AJNR-06	AJNL-06
7/16"	AJNR-07	AJNL-07
1/2"	AJNR-08	AJNL-08
5/8"	AJNR-10	AJNL-10



WELDABLE TUBE ENDS 4130 chromemoly

Thread	Tube x Wall Size	RH	LH
3/16"	3/8" x .058	FK1101R	FK1101L
1/4"	1/2" x .058	FK1202R	FK1202L
5/16"	3/4" x .058	FK1403R	FK1403L
3/8"	3/4" x .058	FK1404R	FK1404L
7/16"	7/8" x .058	FK1605R	FK1605L
1/2"	1.0" x .058	FK1906R	FK1906L
1/2"	1 1/8" x .058	FK2306R	FK2306L
5/8"	1 1/8" x .065	FK2407R	FK2407L
5/8"	1 1/8" x .083	FK2507R	FK2507L
5/8"	1 1/4" x .095	FK2707R	FK2707L
3/4"	1 1/4" x .095	FK2708R	FK2708L



WELDABLE TUBE ENDS mild steel

Thread	O/D	Tube x Wall Size	RH	LH
3/8"	3/4"	7/8" x .058		
7/16"	7/8"	1.0" x .058		
7/16"	1"	1 1/8" x .058		
1/2"	1"	1 1/8" x .058		
1/2"	7/8"	1.0" x .065		
5/8"	7/8"	1.0" x .065		
5/8"	1.025"	1 1/8" x .049		
5/8"	1"	1 1/8" x .058		
5/8"	.985"	1 1/8" x .065		
3/4"	1 1/4"	1 3/8" x .058		



4130 CHROME MOLY TUBE ROUND

1/4" .049	0.152	4130 Round tube
5/16" .035	0.243	4130 Round tube
5/16" .049	0.215	4130 Round Tube
3/8" .035	0.305	4130 Round Tube
3/8" .049	0.259	4130 Round Tube
3/8" .058	0.277	4130 Round Tube
3/8" .065	0.245	4130 Round Tube
7/16" .065	0.308	4130 Round Tube
1/2" .035	0.43	4130 Round Tube
1/2" .049	0.402	4130 Round Tube
1/2" .058	0.384	4130 Round Tube
1/2" .065	0.37	4130 Round Tube
1/2" .083	0.334	4130 Round Tube
1/2" .095	0.310	4131 Round Tube
1/2" .120	0.26	4130 Round Tube
9/16" .065	0.433	4130 Round Tube
5/8" .035	0.533	4130 Round Tube
5/8" .049	0.527	4130 Round Tube
5/8" .058	0.509	4130 Round Tube
5/8" .065	0.495	4130 Round Tube
5/8" .083	0.459	4130 Round Tube
5/8" .120	0.385	4130 Round Tube
5/8" .156	0.313	4131 Round Tube
3/4" .035	0.68	4130 Round Tube
3/4" .049	0.652	4130 Round Tube
3/4" .058	0.634	4130 Round Tube
3/4" .065	0.62	4130 Round Tube
3/4" .083	0.584	4130 Round Tube
3/4" .095	0.56	4130 Round Tube
3/4" .120	0.51	4130 Round Tube
3/4" .156	0.438	4130 Round Tube
7/8" .035	0.805	4130 Round Tube
7/8" .049	0.777	4130 Round Tube
7/8" .058	0.759	4130 Round Tube
7/8" .065	0.745	4130 Round Tube
7/8" .083	0.709	4130 Round Tube
7/8" .095	685	4130 Round Tube
7/8" .120	0.635	4130 Round Tube
1" .035	0.93	4130 Round Tube
1" .049	0.902	4130 Round Tube
1" .058	0.884	4130 Round Tube
1" .065	0.87	4130 Round Tube
1" .083	0.834	4130 Round Tube
1" .095	0.81	4130 Round Tube
1" .120	0.72	4130 Round Tube
1" .250	0.500	4131 Round Tube

1 1/8" .049	1.027	4130 Round Tube
1 1/8" .058	1.009	4130 Round Tube
1 1/8" .065	0.995	4130 Round Tube
1 1/8" .083	0.959	4130 Round Tube
1 1/8" .095	0.935	4130 Round Tube
1 1/8" .120		4131 Round Tube
1 1/4" .049	1.152	4130 Round Tube
1 1/4" .058	1.134	4130 Round Tube
1 1/4" .065	1.12	4130 Round Tube
1 1/4" .083	1.084	4130 Round Tube
1 1/4" .095	1.06	4130 Round Tube
1 1/4" .120	1.01	4130 Round Tube
1 3/8" .049	1.277	4130 Round Tube
1 3/8" .058	1.259	4130 Round Tube
1 3/8" .065	1.245	4130 Round Tube
1 3/8" .083	1.209	4130 Round Tube
1 3/8" .095	1.185	4130 Round Tube
1 3/8" .120	1.135	4130 Round Tube
1 1/2" .035	1.43	4130 Round Tube
1 1/2" .049	1.402	4130 Round Tube
1 1/2" .058	1.384	4130 Round Tube
1 1/2" .065	1.37	4130 Round Tube
1 1/2" .083	1.334	4130 Round Tube
1 1/2" .095	1.31	4130 Round Tube
1 1/2" .120	1.26	4130 Round Tube
1 5/8" .049	1.527	4130 Round Tube
1 5/8" .058	1.509	4130 Round Tube
1 5/8" .065	1.495	4130 Round Tube
1 5/8" .083	1.459	4130 Round Tube
1 5/8" .120		4131 Round Tube
1 3/4" .049	1.652	4130 Round Tube
1 3/4" .058	1.635	4130 Round Tube
1 3/4" .065	1.62	4130 Round Tube
1 3/4" .083	1.584	4130 Round Tube
1 3/4" .095	1.56	4130 Round Tube
1 3/4" .120	1.51	4130 Round Tube
2" .049	1.902	4130 Round Tube
2" .065	1.87	4130 Round Tube
2" .095	1.81	4130 Round Tube
2" .120	1.76	4130 Round Tube
2 1/4" .120	2.01	4130 Round Tube
2 1/2" .095		4130 Round Tube
2 1/2" .120	2.26	4131 Round Tube

4130 CHROME MOLY TUBE SQUARE

5/8 x 5/8 .035		4130 Square tube
5/8 x 5/8 .065		4130 Square Tube
3/4 x 3/4 .035		4130 Square Tube
3/4 x 3/4 .049		4130 Square Tube
3/4 x 3/4 .065		4130 Square Tube
1 x 1 .035		4130 Square Tube
1 x 1 .049		4130 Square Tube
1 x 1 .065		4130 Square Tube

4130 CHROME MOLY TUBE RECTANGLE

1 1/2 x 3/4 .049		4130 rect. Tube
1 3/4 x 1 .065		4130 Rect. Tube
1 1/4 x 3/4 .049		4130 Rect. Tube
2" x 1" .065		4131 Rect. Tube

CHROME MOLY TUBE, BAR, SHEET

4130 CHROME MOLY TUBE STREAMLINE

1.349 x .571 .049		4129 Streamline Tube
1.180 x .500 .035		4130 Streamline Tube
2.023 x .857 .049		4130 Streamline Tube
2.360 x 1.00 .049		4130 Streamline Tube

4130 CHROME MOLY BAR

.250 (1/4")		4130 Bar
.312 (5/16")		4130 Bar
.375 (3/8")		4130 Bar
.500 (1/2")		4130 Bar
.625 (5/8")		4130 Bar
.750 (3/4")		4130 Bar
.875 (7/8")		4130 Bar
1.00 (1")		4130 Bar

4130 CHROME MOLY SHEET

0.032		4130 Sheet
0.040		4130 Sheet
0.050		4130 Sheet
0.063		4130 Sheet
0.080		4130 Sheet
0.125		4130 Sheet
0.189		4130 Sheet

ALUMINIUM HEX

5/16"		Alum Hex
3/8"		Alum Hex

CAMS APPROVED ROLL CAGE MATERIAL CDW

1 3/4" x .102		CDW Tube
1 1/2" x .102		CDW Tube
40mm x 2mm		CDW Tube

PANEL FASTENERS



and HARDWEAR

ALUMINIUM SCREWS & WASHERS 5mm & 6mm

